
## **Optical Customer Drop Cable**

### **All Dielectric Design**

# MiDia® Breeze 2FX Drop Cable



Issue February 2014 according to **OFS Generic Specification** 



#### **Application**

Customer drop cable for blown and short distance pushed installation

#### Design

- Optical Fibres
- Core Element
- Tensile Strength Elements
- Low Friction Jacket

#### **Features**

- FTTx-Fibre: 200µm AllWave® FLEX Fibre G.657.A1 for small form factor
- All Dielectric Cable
- Easy Fibre Access
- Robust Low Friction Sheath
- Light Weight

Version illustrated is the 3 Fibre Cable

#### Identification

#### **Fibre Colour Code:**

| _ |   |      |   |        |   |       |
|---|---|------|---|--------|---|-------|
|   | 1 | Blue | 2 | Orange | 3 | Green |

Fillers will be natural coloured

Cable Diameter (nom.): 1.8 mm Cable Weight (nom.): 3 kg/km

© 2014 OFS 1404-110-AD2FX.1.01.PA.0.4 Page 1/2

### **Optical Customer Drop Cable**

#### All Dielectric Design

## MiDia® Breeze 2FX Drop Cable



Issue February 2014 according to **OFS Generic Specification** 

#### **Mechanical Properties and Environmental Behaviour**

Tests according to IEC 60794

|   | Parameter                        | Requirement   | Value                        |  |
|---|----------------------------------|---|------------------------------|--|
| Tensile Performance:                    | Short term load,                 | - No changes in attenuation   | Load: 150 N                  |  |
| IEC 60794-1-2-E1A and E1B               | during installation              | before versus after load* - Max. fibre strain 0.50%                         |                              |  |
| Crush Performance:                      | Short term load                  | - No changes in attenuation   | Load: 500 N                  |  |
| IEC 60794-1-2-E3                        |                                  | before versus after load* - No damage**                                     |                              |  |
| Cable Bending:                          | Handling fixed installed         | - No attenuation increase*  | Bend radius: 25 mm           |  |
| IEC 60794-1-2-E11                       | During installation (under load) | <ul> <li>No changes in attenuation<br/>before versus after load*</li> </ul> | Bend radius: 50 mm           |  |
| Fibre Unit Bending:<br>IEC 60794-1-2-G1 | Handling fixed installed         | - No attenuation increase*  | Bend radius: 20 mm           |  |
| Temperatures:                           | Operation                        | - No attenuation increase*  | -30 to +70°C                 |  |
| IEC 60794-1-2-F1                        | Installation<br>Storage/Shipping |   | - 5 to +40°C<br>-40 to +70°C |  |

<sup>\*</sup>No changes in attenuation means that any changes in measurement value, either positive or negative within the uncertainty of measurement shall be ignored. The total uncertainty of measurement shall be less than of equal to 0.05 dB.

#### **Shipping Information**

#### Maximum Cable Length: 5000 m

At least ninety five (95) per cent of cables will be delivered in lengths as specified in the confirmed order within +5% and -0% tolerance. Not more than 5% of cables may be of lengths less than those specified in the confirmed order and with a maximum deviation of -10%.

The information is believed to be accurate at time of issue.

OFS reserves the right to improve, enhance and modify the features and specifications of OFS products without prior notification.

Please ensure you have the latest version of the data sheet.

This data sheet is property of OFS.

For additional information please contact your sales representative.

You can also visit our

website at http://www.ofsoptics.com.

Telephone: +49 (0) 228 7489 201 Email: cableinfo@ofsoptics.com

MiDia is a registered trademark of Fitel USA Corp.

<sup>\*\*</sup> Mechanical damage – when examined visually without magnification, there shall be no evidence of damage to the sheath. The imprint of plates will not be considered as damage.



## AllWave® FLEX 200 µm Fiber

Reliable Bend-Optimized Performance for Smaller Diameter, Higher Density Cable Applications



#### **Features and Benefits**

- Bend optimized design for tight, low loss bends without risking fiber strength and long-term reliability
- 36% less area than conventional 250 µm coated fiber enabling smaller diameter cables and a greater number of fibers per tube
- Ideally suited for high fiber count cables and microcables where cable diameter needs to be minimized
- Zero Water Peak fiber provides a 50% increase in usable optical spectrum, enabling 16-channel CWDM and DWDM support
- Proof-tested to 100 kpsi to improve long term reliability and simplify cabling
- Ultra-low Polarization Mode
   Dispersion (PMD) enables speed and distance upgrades

### **Applications**

- FTTx
- · High count fiber cables
- · High power applications
- Microcables
- Closures
- At the customer premises
- Any application with transmission speeds of 40 Gb/s and beyond

#### **Overview**

OFS offers AllWave *FLEX* Bend-Optimized Single-Mode Optical Fiber with a 200 µm coating diameter for use in cables with higher fiber counts per tube and in microcables where cable diameters must be minimized. The fibers offer all the other performance advantages and 30-year reliability of standard AllWave *FLEX* products.

#### **Product Description**

AllWave *FLEX* 200 µm Optical Fiber supports higher density and lower diameter cables, providing outstanding macrobend and microbend performance for Access, Fiber-to-the-Home (FTTH), enterprise networks, or any application where small bend diameters may be encountered. This G.657.A1 fiber maintains very low bending loss across the full usable spectrum of wavelengths from 1260 to 1625 nm. It can be coiled into a 20 mm diameter loop with < 0.5 dB incurred loss at 1625 nm and < 0.2 dB incurred loss at 1550 nm – five times better bending performance than conventional single-mode and leading LWP fibers.

# Outstanding Macrobend Performance

- 100 turns on a 25 mm radius mandrel
  - < 0.01 dB @ 1550 nm
  - < 0.05 dB @ 1625 nm
- 10 turns on a 15 mm radius mandrel
  - < 0.2 dB @ 1550 nm
  - < 0.5 dB @ 1625 nm
- 1 turn on a 10 mm radius mandrel
  - < 0.2 dB @ 1550 nm
  - < 0.5 dB @ 1625 nm

For additional information please contact your sales representative.

You can also visit our website at www.ofsoptics.com or call 1-888-fiberhelp (1-888-342-3743) USA or 1-770-798-5555 outside the USA.

North America

Telephone: 508-347-8590 Toll Free: 800-799-7732 Fax: 508-347-1211

E-mail: fibersalesnar@ofsoptics.com

Asia Pacific

Telephone: +852 2506 5054 Fax: +852 2506 0166

E-mail: fibersalesap@ofsoptics.com

Caribbean, Latin America

Telephone: +1-508-347-8590

Fax: +1-508-347-1211

E-mail: fibersalescala@ofsoptics.com

Japan

Telephone: +81-3-3286-3424 Fax: +81-3-3286-3708 or 3190 E-mail: fibersalesjapan@ofsoptics.com

Europe, Middle East, Africa

Telephone: +45-43 48 3736

Fax: +45 4348 3444 E-mail: ofssalesdk@ofsoptics.com

China

Telephone: +86 10 6505 3660

Fax: +86 10 65059515

E-mail: fibersaleschina@ofsoptics.com









Copyright © 2017 OFS Fitel, LLC. All rights reserved, printed in USA.

**OFS Marketing Communications** 

Doc ID: fiber-146 Date: 0917

AllWave is a registered trademark of OFS Fitel, LLC.

OFS reserves the right to make changes to the prices and product(s) described in this document at any time without notice. This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products or services.

#### 200 µm AllWave® FLEX Fiber

| Product Specifications  | 200 µm AllWave <i>FLEX</i> F  | iber  |
|---|---|---|
| Physical Characteristics  |   |   |
| Clad Diameter   | 125.0 ± 0.7 μm  |   |
| Clad Non-Circularity  | ≤ 1 %   |   |
| Core/Clad Concentricity Error (Offset)  | ≤ 0.5 µm, < 0.2 µm typically  |   |
| Coating Diameter (Uncolored) (Colored)  | 190 ± 10 μm<br>200 ± 10 μm  |   |
| Coating-Clad Concentricity Error (Offset)   | ≤ 12 µm   |   |
| Tensile Proof Test (Other proof test levels available on request)   | 100 kpsi (0.69 GPa)   |   |
| Coating Strip Force   | Range: ≥ 0.5 N < 8.9 N  |   |
| Standard Reel Lengths   | 50.4 km   |   |
| Optical Characteristics   |   |   |
| Attenuation     at 1310 nm     at 1385 nm     at 1490 nm     at 1550 nm     at 1625 nm  | Maximum<br>≤ 0.35 dB/km<br>≤ 0.31 dB/km<br>≤ 0.24 dB/km<br>≤ 0.21 dB/km<br>≤ 0.24 dB/km | Typical<br>≤ 0.34 dB/km<br>≤ 0.28 dB/km<br>≤ 0.21 dB/km<br>≤ 0.19 dB/km<br>≤ 0.20 dB/km |
| Attenuation vs. Wavelength Range (nm) 1285 – 1330 1360 – 1480 1525 – 1575 1460 – 1625   | Reference (nm) λ<br>1310<br>1385<br>1550  | α<br>0.03<br>0.04<br>0.02<br>0.04   |
| *The attenuation in a given wavelength range does not exceed the attentuation of the reference wavelength ( $\lambda$ ) by more than the value $\alpha$ . |   |   |
| Attenuation Uniformity / Point Discontinuities at 1310 nm and 1550 nm   | ≤ 0.05 dB   |   |
| Chromatic Dispersion Zero Dispersion Wavelength $(\lambda_0)$ Zero Dispersion Slope $(S_0)$ Typical Dispersion Slope                                      | 1302 – 1322 nm<br>≤ 0.092 ps/nm²-km<br>0.088 ps/nm²-km                                  |   |
| Group Refractive Index<br>at 1310 nm<br>at 1550 nm  | 1.467<br>1.468  |   |
| Mode Field Diameter<br>at 1310 nm<br>at 1550 nm   | 8.5 - 9.3 μm<br>9.4 - 10.4 μm (typical)   |   |
| Cut-off Wavelength ( $\lambda_{\rm CC}$ )   | ≤ 1260 nm   |   |
| Polarization Mode Dispersion (PMD) <sup>1</sup> Fiber PMD Link Design Value (LDV) <sup>2</sup> Maximum Individual Fiber Typical Fiber LMC PMD             | ≤ 0.06 ps/√km<br>≤ 0.1 ps/√km<br>≤ 0.02 ps/√km  |   |

As measured with low mode coupling (LMC) technique in fiber form, value may change when cabled. Check with your cable manufacturer for specific PMD limits in cable form.

The PMD Link Design Value complies with IEC 60794-3, September 2001 (N = 20, Q = 0.01%). Details are described in IEC 61282-3 TR Ed 2, October 2006.

| Environmental Characteristics (at 1310, 1550 & 1625 nm)         |              |  |  |  |
|---|--------------|--|--|--|
| Temperature Cycling (-60° + 85 °C)                              | ≤ 0.05 dB/km |  |  |  |
| High Temperature Aging (85 ± 2 °C)                              | ≤ 0.05 dB/km |  |  |  |
| Temperature & Humidity Cycling (at -10 °C to +85 °C and 95% RH) | ≤ 0.05 dB/km |  |  |  |
| Water Immersion (23 ± 2 °C)                                     | ≤ 0.05 dB/km |  |  |  |