

ECS HDP-03 12 SLOTS 3U HD MODULAR FIXED FRAME (UP TO 288FO)



HDP-03 High Density fiber optic 3U fixed frame allows to scale up to 12 HD cassettes for a total of 288FO with LC configuration. Shallow depth of 280mm only to fit MMR 300mm Depth ODF.

Modular panel for multi-application with MPO System, Pre-terminated custom modules, Patch-Thru Plates, Next-Gen Transition modules 100G/40G to 25G/10G, or conventional splicing. Multi-functional chassis which allow easy access during installation or re-work with no disturbance of the existing cables or fibers.

Frame is supplied unloaded and the modules and plates are supplied separately.

FEATURES

- ✓ 12 Slots HD in 3U space
- ✓ Compact size for installation shallow-depth racks
- ✓ Up to 288FO in LC, 144FO in SC
- ✓ Fully integrated fiber management with Facilitated patch cord installation
- ✓ Individually labelled ports
- ✓ Modular with MTP/MPO, Splicing Cassette or Adapter plates or copper module

APPLICATIONS

- ✓ Datacenter storage area network & Central Office, POP
- ✓ Indoor application
- ✓ Enterprise / Campus

SPECIFICATIONS

Mounting Type	Rack 19"
Height Unit	3U
Material	Cold rolled steel
Housing Color	Black
Application	Indoor IP20
Lockable	No (optional)
Dimensions (W x D x H in MM)	483 x 280 x 132
Net Weight	3.6 Kg
Material Compliant	RoHS, REACH / SVHC
Telecommunication Standards	TIA/EIA 568.C, ISO/IEC 11801, EN 50173, IEC 60304, IEC 61754,

DESIGN – HARDWARE

Opening Type	Fixed Chassis
Access Type	Front Access
Front Cable Management	Hinged Metal Door with patch cord bottom management
Cable Entry Direction	Rear, left and right
Rear Cable Management	Yes
Slot Type	HD Modules and HD Plates
Number of Slots	12
Fiber Capacity	Up to 288FO in LC, 144FO in SC

TECHNICAL DRAWINGS

