



## KKD DÖRRPARTIER


# KKDW G3 1222L 24-A











#### KKD DÖRRPARTIER

## KKDW G3 1222L 24-A

NAMN **KKDW G3 1222L 24-A** PRODUKT EAN **7330701099045** 

ART. NR **57955** TULL TARIFKOD **94039910** 

HÖJD **2200 MM**FÄRG **BLACK**URSPRUNGSLAND **SVERIGE** 

## Teknisk information och certifikat

## THE NEW KKD G3 DOOR SECTIONS

KKD G3 is a series of flexible door sections for creating aisle containments together with S1 server enclosures. Standard models for 1200 mm aisle width and cabinet height of 2000 and 2200 mm.

Door sections in customized aisle widths are available on request. Four function levels: manual, synchronic, self-closing and automatic.

#### Manual

Each door blade is manually operated.

#### **Synchronic**

Left and right door blade with simultaneous running. Pushing one will automatically operate the other (only in two door versions).

#### Self-closing

Door blades are spring operated. Doors will self-close when released. System includes soft-close system that catches the door blades the last part and gently closes the door section.





#### **Automatic**

Door blades are operated with an electric motor. The system contains two radars, one of each side of the door, that triggers door opening. The doors will self-close when untriggered.

### KKDW G3

- Single door configuration for single row aisle close to a wall.
- Fixing on one Enoc S1 rack (1000 or 1200 mm deep and 2000 or 2200 mm high) and on to a wall.
- Standard aisle width of 1200 mm. Other widths available on request.
- Overall Aisle width 1200 mm
- Max opening 1080 mm
- Cabinet height 2200 mm

