

connecting the future



TDS 65LG RAL 7035, singlepack

Article number: 120501

Product description:

TRIAX TD Dishes The difference is clear

Manufactured and tested to the highest standards of precision and quality, TRIAX's easy-to-install dishes offer outstanding performance, durability and reliability.

TDS: Steel TDA: Aluminium

- Unrivaled build quality, whether Steel or Aluminium
 - Hot-dip galvanized steel OR long lasting Aluminium - for extra corrosion protection
 - TRIAX's unique cable protection system
 - Every part, every accessory is weatherproofed
 - 2 years corrosion warranty
 - 5 years functionality warranty
- Outstanding performance
 - High gain for an exceptional signal
- Quick and easy installation
 - One-click mounting system
 - Self-locking screw & nuts
- Logistic friendly
 - Single or Bulk packaging, according to customer needs

TRIAX is your reliable partner, with comprehensive service and support.

Specifications

ORDER INFORMATION	
EAN Number	5702661205019
CHARACTERISTICS	
F/D ratio	0,62
G/T LNB 0.7	16.0 dB/K
X-polarisation	≤ -25 dB
Offset angle	26 °
Elevation range	0...90 °
FREQUENCY	
Frequency range	10.7...12.75 GHz
GAIN	
Gain @ 10.70 GHz	37 dBi
Gain @ 11.7 GHz	35 dBi
Gain @ 12.75 GHz	34 dBi
MECHANICAL	
Main material	Galvanized steel (hot-dip)
Height (cm)	66 cm
Width (cm)	60 cm
LNB holder	40
Mast bracket diameter	30...60 mm
Reflector type	Offset
Beamwidth	3.1 °
Arm Colour	Raw
Colour	RAL 7035 - Light grey
Packing QTY	1
Packaging Height	0,734 m
Packaging Width	0,684 m
Packaging Depth	0,100 m
Packaging Volume	0,050 m3
Net Weight	3,220 kg
Tara Weight	1,050 kg

Total Weight	4,270 kg
--------------	----------
