



TRIAX

connecting the future



TDS 100LG RAL 7035, singlepack

Article number: 120518

Product description:

TRIAX TD Dishes The difference is clear

Manufactured and tested to the highest standards of precision and quality, TRIAX's easy-to-install dishes offer outstanding performance, durability and reliability.

TDS: Steel TDA: Aluminium

- Unrivaled build quality, whether Steel or Aluminium
 - Hot-dip galvanized steel OR long lasting Aluminium - for extra corrosion protection
 - TRIAX's unique cable protection system
 - Every part, every accessory is weatherproofed
 - 2 years corrosion warranty
 - 5 years functionality warranty
- Outstanding performance
 - High gain for an exceptional signal
- Quick and easy installation
 - One-click mounting system
 - Self-locking screw & nuts
- Logistic friendly
 - Single or Bulk packaging, according to customer needs

TRIAX is your reliable partner, with comprehensive service and support.

Specifications

ORDER INFORMATION	
EAN Number	5702661205187
CHARACTERISTICS	
F/D ratio	0,62
G/T LNB 0.7	19.2 dB/K
Offset angle	26.37 °
Elevation range	0...90 °
FREQUENCY	
Frequency range	10.7...12.75 GHz
GAIN	
Gain @ 10.70 GHz	38 dBi
Gain @ 11.7 GHz	38 dBi
Gain @ 12.75 GHz	36 dBi
MECHANICAL	
Main material	Galvanized steel (hot-dip)
Height (cm)	97 cm
Width (cm)	87 cm
LNB holder	40/60
Mast bracket diameter	32...60 mm
Reflector type	Offset
Beamwidth	2.0 °
Arm Colour	Raw
Colour	RAL 7035 - Light grey
Packing QTY	1
Packaging Height	1,025 m
Packaging Width	1,004 m
Packaging Depth	0,110 m
Packaging Volume	0,113 m3
Net Weight	6,100 kg
Tara Weight	1,900 kg
Total Weight	8,000 kg

