Product datasheet

Specifications

Galaxy VS Modular Battery Cabinet for up to 6 smart modular battery strings

GVSMODBC6

Overview

Presentation	Modular battery cabinet for extended runtime for UPSs with internal batteries. The cabinet is supplied without batteries, so batteries must be purchased separately. Up to six battery strings can be installed and monitored in the cabinet.
Lead time	Usually Ships within 2 Weeks

Main

Product or component type	Battery cabinet
Range compatibility	Galaxy VS
Battery type	VRLA
Provided equipment	Installation guide
Range of product	Galaxy VS

Batteries & Runtime

Number of battery free slots	6
Number of battery filled slots	0
Device mounting	Enclosed battery cabinet

Physical

Colour	White
Height	148.5 cm
Width	52.1 cm
Depth	84.7 cm
Net weight	145 kg

Environmental

Ambient air temperature for operation	0…40 °C
Ambient air temperature for storage	-15…40 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	166.4 cm
Package 1 Width	99 cm

Package 1 Length	63.5 cm
Package 1 Weight	205 kg

Life Is On | Schneider Electric

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained ›

How we assess product sustainability ›

Environmental footprint

Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

EU RoHS Directive	**Pro-active compliance (Product out of EU RoHS legal scope)**
REACh Regulation	**REACh Declaration**

Energy efficiency

Optimized Energy Efficiency	**Energy efficient product**

Use Again

Repack and remanufacture

Circularity Profile	**End of Life Information**
Take-back	**Yes**

Life Is On | Schneider Electric